

# AlGaAs Infrared Laser Diode

**ADL-85501TL**

6-2D-LD85-005\_Rev.00



## 850nm 50mW 5.6 φ TO-Type Laser Diode

### •Features

1. Low operation current
2. Cost effective

### •Applications

1. Bar-code scanner
2. Laser printer
3. Military



### •Absolute maximum ratings

Parameter	Symbol	Condition	Rating	Unit
Light output power	P <sub>O</sub>	CW	50	mW
Reverse voltage (LD)	V <sub>RL</sub>	-	3.5	V
Reverse voltage (PD)	V <sub>RD</sub>	-	30	V
Forward current (PD)	I <sub>FD</sub>	-	10	mA
Case temperature	T <sub>C</sub>	-	-10~+50	°C
Storage temperature	T <sub>S</sub>	-	-40~+85	°C

### •Electrical and optical characteristics (T<sub>c</sub>=25 °C)

Parameter	Symbol	Min.	Typ.	Max.	Unit	Conditions
Peak wavelength	λ	830	845	850	nm	P <sub>O</sub> =50mW
Threshold current	I <sub>th</sub>	-	15	25	mA	
Operating current	I <sub>op</sub>	-	75	95	mA	P <sub>O</sub> =50mW
Operating voltage	V <sub>op</sub>	-	1.8	2.4	V	P <sub>O</sub> =50mW
Differential efficiency	η	0.7	0.8	1.0	mW/mA	P <sub>O</sub> =40-50mW
Monitor current	I <sub>m</sub>	0.2	0.5	1.0	mA	P <sub>O</sub> =50mW, V <sub>RD</sub> =0V
Parallel divergence angle	θ <sub>  </sub>	9	12	15	degree	
Perpendicular divergence angle	θ <sub>⊥</sub>	26	30	35	degree	
Parallel FFP deviation angle	Δθ <sub>  </sub>	-3	-	+3	deg	
Perpendicular FFP deviation angle	Δθ <sub>⊥</sub>	-3	-	+3	deg	
Emission point accuracy	ΔxΔy	-80	-	+80	um	
	ΔZ	-40	-	+40	um	

### • Precautions

- \* Do not operate the device above maximum ratings. Doing so may cause unexpected and permanent damage to the device.
- \* Take precautions to avoid electrostatic discharge and/or momentary power spikes. A change in the characteristics of the laser or premature failure may result.
- \* Proper heat sinking of the device assures stability and lifetime. Always ensure that maximum operating temperatures are not exceeded.
- \* Observing visible or invisible laser beams with the human eye directly, or indirectly, can cause permanent damage. Use a camera to observe the laser.
- \* No laser device should be used in any application or situation where life or property is at risk in event of device failure.
- \* Specifications are subject to change without notice. Ensure that you have the latest specification by contacting us prior to purchase or use of the product.







\* For reference only. Contents above are subject to change without notice.

**Arima**  
LASERS

# **AlGaAs Infrared Laser Diode**

**ADL-85501TL**

**6-2D-LD85-005\_Rev.00**



\* For reference only. Contents above are subject to change without notice.

**Arima**  
**LASERS**